

BD436
Rev.E Mar.-2016

TO-126F

PNP


Silicon PNP transistor in a TO-126F Plastic Package.

BD436

/ Package Dimensions

TU-126F

单位: mm



| Symbol | Min | Max | Symbol | Min |
|--------|-----|-----|--------|------|
| A | 7.8 | 8.2 | a1 | 0.66 |

/ Marking Instructions



BR

BD436


Note:

BR: Company Code

BD436: Product Type.

****: Lot No. Code, code change with Lot No.

() / Temperature Profile for Dip Soldering(Pb-Free)



Note:

- | | | | | | |
|---|-------|-----|-------|----------|---|
| 1 | 25 | 150 | 60 | 90sec; | 1.Preheating:25~150 , Time:60~90sec. |
| 2 | 255±5 | | 5±0.5 | sec; | 2.Peak Temp.:255±5 , Duration:5±0.5sec. |
| 3 | | | 2 | 10 /sec. | 3. Cooling Speed: 2~10 /sec. |

/ Resistance to Soldering Heat Test Conditions

270±5 10±1 sec. Temp.:270±5 Time:10±1 sec

/ Packaging SPEC.

/ BULK

| Package Type | Units | | | | Dimension (unit mm ³) | | |
|--------------|-------|--|--|--|-----------------------------------|--|--|
| | | | | | | | |
| | | | | | | | |

/ TUBE

| Package Type | Units | | | | Dimension (unit mm ³) | | |
|--------------|-------|--|--|--|-----------------------------------|--|--|
| | | | | | | | |
| | | | | | | | |

/ Notices